
www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

AMINO-DPEG®$_{24}$-OH

SKU: QBD-10868



DESCRIPTION

Amino-dPEG®24-OH, product number QBD-10868, also known as Amino-dPEG®24-alcohol, is a long (71 atoms, 86.0 Å), monodispersed PEGylation reagent designed to modify surfaces and biomolecules. One end of the molecule terminates with a primary amine, while the other end terminates with a primary alcohol group. This extremely hydrophilic PEGylation reagent reacts with carboxylate groups via the primary amine, leaving the hydroxy terminus free for functionalization and further reactions or as a hydrophilicity or charge modifier for the conjugate molecule.

The most common uses for Amino-dPEG®24-OH include modifying biomolecules and passivating surfaces with a highly hydrophilic coating. The primary amine on one end of the dPEG® linker reacts with carboxylates to form stable amide bonds and with aldehydes and ketones to form labile Schiff bases that can be reduced to secondary amines under mild conditions for greater stability. Conjugations with this molecule most commonly use the amine-carboxylate reaction with a carbodiimide such as EDC. Alternatively, activation of carboxylate as the NHS or TFP ester followed by reaction under slightly basic conditions also permits conjugation of the carboxylate and amino moieties.

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.

www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600


SPECIFICATIONS

CAS Number	933789-97-0
Molecular Weight	1074.29; single compound
Chemical Formula	$C_{48}H_{99}NO_{24}$
Purity	> 97%
Unit Size	100mg, 1000mg
Solubility	Methylene chloride or water.
Spacers	dPEG® Spacer is 71 atoms and 86.0 Å
Storage Instructions	-20°C; Always let come to room temperature before opening; be careful to limit exposure to moisture and restore under an inert atmosphere; stock solutions can be prepared with dry solvent and kept for several days (freeze when not in use). dPEG® pegylation compounds are generally hygroscopic and should be treated as such. This will be less noticeable with liquids, but the solids will become tacky and difficult to manipulate, if care is not taken to minimize air exposure.
Shipping Instructions	Ambient

DOCUMENTS

- Safety Data Sheet
- Datasheet

GALLERY IMAGES



For research use only. Not intended for therapeutic or diagnostic use in animals or humans.