
www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

# M-DPEG®₁₃-NHS ESTER

**SKU:** QBD-11086




## DESCRIPTION

m-dPEG®13-NHS ester, product number QBD-11086, is a medium-length (41 atoms, 47.3 Å), methyl-terminated, discrete-chain-length polyethylene glycol (dPEG®) spacer functionalized with an N-hydroxysuccinimidyl (NHS) ester for reaction with free amines. m-dPEG®13-NHS ester is just one member of a comprehensive line of methyl-terminated dPEG® products that includes dPEG® spacers containing 2 to 49 ethylene glycol units.

NHS esters react optimally with free amines at pH 7.0 – 7.5. In aqueous media, the hydrolytic rate of the ester to the carboxylic acid increases with increasing pH. Reacting surface amines on biomolecules (e.g., proteins and peptides) with this uncharged, methyl-capped dPEG® spacer may alter the overall charge of the resulting conjugates.
Many applications could employ m-dPEG®13-NHS ester, including the following:
vaccine development (modifying the immunogenicity of biomolecules);
dendrimer construction;
PK and immunogenicity improvements for dendrimers, peptides, and proteins;
cell surface engineering;
peptide synthesis and modification to improve water solubility or decrease immunogenicity;
coating of nanoparticles, quantum dots, and carbon nanotubes; and
prevention of protein aggregation.

**For research use only. Not intended for therapeutic or diagnostic use in animals or humans.**

www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600


# SPECIFICATIONS

| | |
|---|---|
| **CAS Number** | N/A |
| **Molecular Weight** | 729.807; single compound |
| **Chemical Formula** | $C_{32}H_{59}NO_{17}$ |
| **Purity** | > 98% |
| **Unit Size** | 100mg, 1000mg |
| **Solubility** | Methylene Chloride, DMSO, Acetonitrile, Acetone, Methanol, Ethyl Acetate, DMAC, or DMF. |
| **Spacers** | dPEG® Spacer is 41 atoms and 47.3 Å |
| **Storage Instructions** | -20°C; Always let come to room temperature before opening; be careful to limit exposure to moisture and restore under an inert atmosphere; stock solutions can be prepared with dry solvent and kept for several days (freeze when not in use). dPEG® pegylation compounds are generally hygroscopic and should be treated as such. This will be less noticeable with liquids, but the solids will become tacky and difficult to manipulate, if care is not taken to minimize air exposure. |
| **Shipping Instructions** | Ambient |

# DOCUMENTS

- Safety Data Sheet
- Datasheet

# GALLERY IMAGES




**For research use only. Not intended for therapeutic or diagnostic use in animals or humans.**