

CERTIFICATE OF ANALYSIS

Product <u>ANTI-RABBIT IgG (H+L)</u>
AFFINITY PURIFIED

Catalog AI-1000

Amount <u>1.5 mg IgG</u>

Concentration 3 mg/ml

Lot No. <u>ZF0808</u>

Produced in goat

Solution 10 mM phosphate, pH 7.8, 0.15 M NaCl, 0.08% sodium azide. Sucrose has

been added for stabilization.

Storage Refrigerate; for long-term storage, aliquot and store frozen.

Antibody Activity (by solid phase IgG binding assay) 94%

Solid-phase enzyme immunoassay of cross-reactivity:

<u>Protein</u>	Percent Cross-reactivity
rabbit IgM	12%
chicken IgG	3%
swine IgM	1%
bovine IgG, bovine IgM, cat IgG, dog IgG, dog IgM,	
guinea pig IgG, hamster IgG, horse IgG,	
human IgG, human IgM, mouse IgG, mouse IgM,	<1%
rat IgG, rat IgM, Rhesus monkey IgG, sheep IgG,	
sheep IgM, swine IgG	

If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2 % normal serum from the same species as the tissue.

The recommended concentration range for use is 5-20 μ g/ml.