

CERTIFICATE OF ANALYSIS

Product <u>BIOTINYLATED ANTI-MOUSE IgM (mu-chain specific)</u>

AFFINITY PURIFIED

Catalog No. BA-2020

Amount 0.5 mg biotinylated Immunoglobulin

Concentration <u>0.5 mg/ml</u>

Lot No. <u>ZF0807</u>

Produced in goat

Solution 10 mM phosphate, pH 7.8, 0.15 M NaCl, 0.08% sodium azide.

Immunohistochemical grade bovine serum albumin has been added for

stabilization.

Storage Refrigerate; for long-term storage, aliquots may be stored frozen.

Immunoglobulin biotinylated 99%

Solid-phase enzyme immunoassay of cross-reactivity:

<u>Protein</u> <u>Percent Cross-reactivity</u>

rat IgM

bovine IgG, bovine IgM, cat IgG, chicken IgG, dog IgG, dog IgM guinea pig IgG, hamster IgG, horse IgG, human IgG, human IgM, mouse IgG, rabbit IgG, rabbit IgM, rat IgG, Rhesus monkey IgG, sheep IgG, sheep IgM, swine IgG, swine IgM

<1%

If this biotinylated antibody is to be used in tissues, which may contain cross-reacting endogenous immunoglobulins, dilution of this biotinylated antibody may be made in buffers containing 2% normal serum from the same species as the tissue.

The recommended concentration range for use is 2-10 μg/ml.