

CERTIFICATE OF ANALYSIS

Product R.T.U. BIOTINYLATED ANTI-MOUSE IgG (H+L)

AFFINITY PURIFIED

Catalog BP-2000

Volume 50 ml

Lot No. <u>ZG0806</u>

Produced in <u>horse</u>

Format Ready-to-use solution of biotinylated horse anti-mouse IgG in PBS*

containing carrier protein and 0.08% sodium azide as preservative.

Storage Refrigerate

Immunoglobulin biotinylated 99%

Antibody Activity after biotinylation (by solid phase IgG binding assay) 93%

Solid-phase enzyme immunoassay of cross-reactivity:

<u>Protein</u>	Percent Cross-reactivity
hamster IgG, mouse IgM, rat IgG	12%
dog IgG, guinea pig IgG, swine IgG	3%
rat IgM, Rhesus Monkey IgG	1%
bovine IgG, bovine IgM, cat IgG, chicken IgG, dog IgM, goat IgG, goat IgM, human IgG, human IgM, rabbit IgG, rabbit IgM, sheep	<1%
IgG, sheep IgM, swine IgM	

Instructions for Use:

Following incubation with primary antibody, wash specimens in buffer. Apply RTU Biotinylated Anti-Mouse IgG and incubate for 30 minutes at room temperature. Wash in buffer for 5 minutes and follow with avidin or streptavidin based detection reagent such as RTU VECTASTAIN ** FIEC ** ABC Reagent (PK-7100).

^{* 10}mM phosphate, pH 7.8, 0.15M NaCl.