

CERTIFICATE OF ANALYSIS

Product FLUORESCEIN ANTI-MOUSE IgG (H+L)

AFFINITY PURIFIED

Catalog No. FI-2000

Amount 1.5 mg active conjugate

Lot No. ZF0503

Produced in <u>horse</u>

Concentration 1.5 mg/ml active conjugate

Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide.

Free-Fluorochrome None

Maximum Excitation @ 490-500 nm

Maximum Emission @ 510-520 nm

F/P (molar) 5.0

Storage Conditions Refrigerate in the dark.

Antibody Activity (by solid phase IgG binding assay) 92%

Solid-phase enzyme immunoassay of cross-reactivity:

	<u>Protein</u>	Percent Cross-reactivity	
	mouse IgM	25%	
	hamster IgG, rat IgG	12%	
	guinea pig IgG, rat IgM, swine IgG	3%	
	bovine IgG	1%	
	bovine IgM, cat IgG, chicken IgG, dog IgG, dog IgM, goat IgG, goat IgM, human IgG, human IgM, rabbit IgG, rabbit IgM,	<1%	
	Rhesus Monkey IgG, sheep IgG, sheep IgM, swine IgM		
` t	this fluorescein-labeled antibody is to be used in tissues which may contain cross-reacting		

If this fluorescein-labeled antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue.

The recommended concentration range for use is 5-20 µg/ml.

Vector Laboratories, Inc., 30 Ingold Road, Burlingame, CA 94010 U.S.A.