## Certificate of Analysis



Product Name:	HQ-dPEG®8-NHS ester
i ioduct ivallie.	119-01 EO 8-14110 ester

SKU Number: QBD-15117

Lot Number: JG1-A0805-028

Molecular Weight: 710.73

ASSAY	SPECIFICATION	LOT DATA
Appearance	Yellow solid	Yellow solid
1H NMR (Structural)*	Consistent with structure	Consistent with structure
ESI Mass Spec (Identity)	One of the following must be present: 711±0.5 [M+H] <i>or</i> 733±0.5 [M+Na]	711.3 m/z [M+H]
HPLC-ELSD (Purity)**	>95%	99.4%

<sup>\*</sup>Determined by quantitative <sup>1</sup>H NMR through intramolecular comparison of peak integrals.

Canth coop

This document certifies that Lot JG1-A0805-028 was analyzed and released by Vector Laboratories Quality Control on April 19, 2024, and was found to meet the currently established test parameters.

Quality Approval:

Dave Schory, M.S. QC Manager

Vector Laboratories certifies on the date above that this is an accurate record of the analysis of the subject lot and that the data conform to the specifications in effect for this product at the time of analysis.

<sup>\*\*</sup>Determined by RP-HPLC using Evaporative Light-Scattering Detection (ELSD). Purity is the mean of three (3) independent samples.