



## Goat Anti-Rat IgG, Mouse Adsorbed, Antibody (H+L), Peroxidase

PI-9401-.5

**Product Images** 



## **Short Description**

HRP Goat Anti-Rat IgG, Mouse Adsorbed binds to rat primary antibodies for tissue staining, ELISAs, and blots. It is designed for use with mouse tissues that may contain endogenous mouse immunoglobulins.

## **Features:**

- Recognizes both heavy and light chains (H+L)
- Cross-linked with the highest specific activity horseradish peroxidase
- Supplied in solution

## **Additional Information**

Unit Size	0.5 mg
Applications	Immunohistochemistry / Immunocytochemistry, Blotting Applications, Elispot, ELISAs
Concentration	1 mg active conjugate/ml
Recommended Storage	2-8 °C, DO NOT FREEZE
Solution	10 mM HEPES, 0.15 M NaCl, pH 7.5, preservative
Recommended Usage	Recommended diluent for microtitration plate assays: 10 mM phosphate, 0.15 M NaCl, pH 7.5, 0.1% Tween 20.Working concentration of HRP-anti rat IgG is 0.5-5.0 µg/ml.
Target Species	Rat
Conjugate	Peroxidase
Host Species	Goat
Format	Concentrate
Safety Title	Cancer

