





Horse Anti-Mouse IgG Antibody (H+L), DyLight™ 594


DI-2594-1.5


Product Images














Short Description

Features:

- Affinity-purified, ultrapure, high affinity antibody
- Thoroughly adsorbed against serum and immunoglobulins from potentially interfering species
- Unless otherwise specified, antibodies recognizes both heavy and light chains (H+L)
- Optimally labeled with DyLight[™] 594 to provide the brightest label for fluorescence microscopy
- Supplied in solution
- Excitation: 592 nm
- Emission: 617 nm
- Color: Red

Additional Information

Unit Size Applications Immunofluorescence, In situ hybridization, Blotting Applications, Flow Cytometry/Cell Separation Concentration 1.5 mg active conjugate/ml Recommended Storage 2-8 °C Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Horse	Applications Immunofluorescence, In situ hybridization, Blotting Applications, Flow Cytometry/Cell Separation Concentration 1.5 mg active conjugate/ml Recommended Storage 2-8 °C Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red		
Applications, Flow Cytometry/Cell Separation Concentration 1.5 mg active conjugate/ml Recommended Storage 2-8 °C Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Applications, Flow Cytometry/Cell Separation Concentration 1.5 mg active conjugate/ml Recommended Storage 2-8 °C Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Horse	Unit Size	1.5 mg
Recommended Storage 2-8 °C Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Recommended Storage 2-8 °C 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Horse	Applications	
Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended Concentration range for use 5-20 μg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Solution 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide. Maximum Emission 617 nm Maximum Excitation 592 nm Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Horse	Concentration	1.5 mg active conjugate/ml
Solutionazide.Maximum Emission617 nmMaximum Excitation592 nmRecommended concentration range for use 5-20 μg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue.Target SpeciesMouseConjugateDyLight 594Color of FluorescenceRed	Solutionazide.Maximum Emission617 nmMaximum Excitation592 nmRecommended concentration range for use 5-20 μg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue.Target SpeciesMouseConjugateDyLight 594Color of FluorescenceRedHost SpeciesHorse	Recommended Storage	2-8 °C
Maximum Excitation Recommended concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Maximum Excitation592 nmRecommended Concentration range for use 5-20 μg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue.Target SpeciesMouseConjugateDyLight 594Color of FluorescenceRedHost SpeciesHorse	Solution	
Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Recommended Concentration range for use 5-20 µg/ml. If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Host Species Horse	Maximum Emission	617 nm
Recommended Usage Recommended Usage If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red	Recommended Usage Recommended Usage If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as the tissue. Target Species Mouse Conjugate DyLight 594 Color of Fluorescence Red Host Species Horse	Maximum Excitation	592 nm
Conjugate DyLight 594 Color of Fluorescence Red	Conjugate DyLight 594 Color of Fluorescence Red Host Species Horse	Recommended Usage	If this antibody is to be used in tissues which may contain cross-reacting endogenous immunoglobulins, dilution of this antibody may be made in buffers containing 2% normal serum from the same species as
Color of Fluorescence Red	Color of Fluorescence Red Host Species Horse	Target Species	Mouse
	Host Species Horse	Conjugate	DyLight 594
Host Species Horse		Color of Fluorescence	Red
	Format Concentrate	Host Species	Horse
Format Concentrate		Format	Concentrate

