



Horse Anti-Mouse IgG Antibody, rat adsorbed (H+L), Biotinylated

BA-2001

[Product Images](#)



Short Description

The Biotinylated Horse Anti-Mouse IgG, rat adsorbed, is designed for use with rat tissues that may contain endogenous rat immunoglobulins. This adsorbed antibody allows primary antibodies made in mouse to be used on rat tissues.

Features:

- Recognizes both heavy and light chains (H+L)
- Biotinylated to ensure the maximum degree of labeling without compromising the specificity or affinity of the antibody
- Can be used for tissue and cell staining, ELISAs, and blots
- Supplied in solution

Additional Information

Unit Size	0.5 mg
Applications	Immunohistochemistry / Immunocytochemistry, Immunofluorescence, In situ hybridization, Blotting Applications, Elispot, ELISAs
Concentration	0.5 mg active conjugate/ml
Recommended Storage	2-8 °C; Store frozen for long term storage
Solution	10 mM sodium phosphate, pH 7.8, 0.15 M NaCl, 0.08% sodium azide, 1 mg/ml bovine serum albumin.
Recommended Usage	The recommended concentration range for use is 2-10 µg/ml. If this biotinylated antibody is to be used in tissues, which may contain cross-reacting endogenous immunoglobulins, dilution of this biotinylated antibody may be made in buffers containing 2% normal serum from the same species as the tissue.
Target Species	Mouse
Conjugate	Biotinylated
Host Species	Horse
Format	Concentrate

