



Lotus Tetragonolobus Lectin (LTL), Fluorescein

FL-1321-2

[Product Images](#)



Short Description

Lotus tetragonolobus lectin is a family of closely related glycoproteins that appear to have similar specificities toward α -linked L-fucose containing oligosaccharides. Although many of the binding properties of Lotus lectin are similar to those of *Ulex europaeus* lectin I, the binding affinities and some specificities for oligosaccharides are significantly different between these fucose-specific lectins.

Fluorescein labeled *Lotus tetragonolobus* lectin has an appropriate number of fluorochromes bound to provide the optimum staining characteristics for this lectin. This conjugate is supplied essentially free of unconjugated fluorochromes.

- Excitation maximum: 495 nm
- Emission maximum: 515 nm

Additional Information

| | |
|-----------------------|--|
| Unit Size | 2 mg |
| Applications | Immunofluorescence, Glycobiology |
| Recommended Usage | The recommended concentration range for use is 5-20 μ g/ml. |
| Recommended Storage | 2-8°C |
| Maximum Excitation | 495-500 nm |
| Maximum Emission | 514-521 nm |
| Solution | 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide, 0.1 mM CaCl_2 |
| Concentration | 2 mg active conjugate/ml |
| Conjugate | Fluorescein |
| Color of Fluorescence | Green |
| Sugar Specificity | Fucose, Arabinose |

