according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



## **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : ImmPrint™ Permanent Marking Pen

Product code : H-6100

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

## 1.3. Supplier

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 U.S.A

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

#### 1.4. Emergency telephone number

Emergency number : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Carcinogenicity Category 2 Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation

May cause an allergic skin reaction
Causes serious eye irritation
Suspected of causing cancer
Obtain special instructions before us

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
77266	CAS-No.: 1333-86-4	10 – 20
ethanediol, ethylene glycol	CAS-No.: 107-21-1	1 – 5
propan-2-ol, isopropyl alcohol, isopropanol	CAS-No.: 67-63-0	0.1 – 1
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	CAS-No.: 4719-04-4	0.1 – 1
ammonia, anhydrous	CAS-No.: 7664-41-7	0.1 – 1
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5	< 0.5

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.



## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

ImmPrint™ Permanent Marking Pen	 ImmPrint™ Permanent Marking Pen	
No additional information available		
ethanediol, ethylene glycol (107-21-1)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethylene glycol	
ACGIH OEL TWA [ppm]	25 ppm (V - Vapor fraction)	
ACGIH OEL STEL	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH OEL STEL [ppm]	50 ppm (V - Vapor fraction)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
propan-2-ol, isopropyl alcohol, isopropanol (6	7-63-0)	
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Propanol	
ACGIH OEL TWA [ppm]	200 ppm	
ACGIH OEL STEL [ppm]	400 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2022	
USA - ACGIH - Biological Exposure Indices		
Local name	2-PROPANOL	
BEI	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OSHA PEL TWA [1]	980 mg/m³	
OSHA PEL TWA [2]	400 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	thanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine (4719-04-4)	
No additional information available		
ammonia, anhydrous (7664-41-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ammonia	
ACGIH OEL TWA [ppm]	25 ppm	
ACGIH OEL STEL [ppm]	35 ppm	
Remark (ACGIH)	TLV® Basis: Eye dam; URT irr	

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



ammonia, anhydrous (7664-41-7)		
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits	JSA - OSHA - Occupational Exposure Limits	
Local name	Ammonia	
OSHA PEL TWA [1]	35 mg/m³	
OSHA PEL TWA [2]	50 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)		
No additional information available		
77266 (1333-86-4)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Carbon black	
ACGIH OEL TWA	3 mg/m³ (I - Inhalable particulate matter)	
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Carbon black	
OSHA PEL TWA [1]	3.5 mg/m³	

## 8.2. Appropriate engineering controls

Regulatory reference (US-OSHA)

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection: Protective gloves Eye protection: Safety glasses

OSHA Annotated Table Z-1

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Black

Odor : No data available.
Odor threshold : No data available
pH : No data available
Melting point : No tapplicable
Freezing point : No data available
Boiling point : No data available
Boiling point : No data available

Flash point : > 200 °F (estimated value)

Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not applicable. Vapor pressure No data available Relative vapor density at 20 °C No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available No data available **Explosion limits** No data available Explosive properties Oxidizing properties No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

H-6100 VUS-LBL-01182

Acute toxicity (inhalation)

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 01

: Not classified.

ethanediol, ethylene glycol (107-21-1)



otheriodion, othlylono grycor (107 21 1)	
LD50 oral rat	7712 mg/kg body weight Animal: rat
ATE US (oral)	500 mg/kg body weight
propan-2-ol, isopropyl alcohol, isopropan	ol (67-63-0)
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 dermal rabbit	12800 mg/kg Source: ECHA
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triy	l)triethanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine (4719-04-4)
LD50 oral rat	763 mg/kg
LD50 dermal rat	> 4000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	763 mg/kg body weight
ammonia, anhydrous (7664-41-7)	
LD50 oral rat	350 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
ATE US (oral)	350 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
1,2-benzisothiazol-3(2H)-one, 1,2-benziso	thiazolin-3-one (2634-33-5)
LD50 oral rat	1020 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	1020 mg/kg body weight
77266 (1333-86-4)	
LD50 oral rat	> 8000 mg/kg Source: ECHA
LD50 dermal rabbit	> 8000 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 4.6 mg/m³
ATE US (dust, mist)	0.005 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
propan-2-ol, isopropyl alcohol, isopropan	ol (67-63-0)
IARC group	3 - Not classifiable
ammonia, anhydrous (7664-41-7)	
NOAEL (chronic,oral,animal/male,2 years)	256 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
NOAEL (chronic,oral,animal/female,2 years)	284 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 01



77266 (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)	
NOAEL (animal/female, F1)	56.6 mg/kg body weight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
STOT-single exposure	: Not classified
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified.

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine (4719-04-4)	
LOAEL (oral,rat,90 days)	285.2 – 338.6 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal,rat/rabbit,90 days)	> 250 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.3250 (Subchronic Dermal Toxicity 90 Days)
NOAEL (oral,rat,90 days)	64.1 – 91 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	> 250 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.3250 (Subchronic Dermal Toxicity 90 Days), Remarks on results: not determinable due to absence of adverse toxic effects
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
77266 (1333-86-4)	
LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.0071 mg/l air Animal: rat, Animal sex: male
NOAEL (oral,rat,90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.0011 mg/l air Animal: rat, Animal sex: male
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	· Not classified

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ethanediol, ethylene glycol (107-21-1)	
LC50 - Fish [1]	> 72860 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
, ,	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 01



propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine (4719-04-4)		
LC50 - Fish [1]	118 mg/l	
EC50 - Crustacea [1]	26.1 mg/l	
ammonia, anhydrous (7664-41-7)		
LC50 - Fish [1]	0.75 mg/l Source: ECHA	
LC50 - Fish [2]	34 – 109 mg/l Test organisms (species): Pimephales promelas	
LOEC (chronic)	1.3 mg/l Test organisms (species): Daphnia magna Duration: '96 h'	
NOEC (chronic)	0.79 mg/l Test organisms (species): Daphnia magna Duration: '96 h'	
NOEC chronic fish	1.2 mg/l Test organisms (species): Oncorhynchus gorbuscha Duration: '61 d'	
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)		
LC50 - Fish [1]	2.18 mg/l Source: ECHA registration data	
EC50 - Crustacea [1]	2.94 mg/l Source: ECHA registration data	
LC50 - Fish [2]	2.15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [2]	2.9 mg/l Test organisms (species): Daphnia magna	
77266 (1333-86-4)		
LC50 - Fish [1]	> 1000 mg/l Source: NITE	
ErC50 algae	> 10000 mg/l Source: EHCA	

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

ethanediol, ethylene glycol (107-21-1)		
Partition coefficient n-octanol/water (Log Pow)	-1.36	
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: ICSC	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine (4719-04-4)		
Partition coefficient n-octanol/water (Log Pow)	-4.67	
ammonia, anhydrous (7664-41-7)		
Partition coefficient n-octanol/water (Log Pow)	0.23 Source: NIOSH	
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)		
Partition coefficient n-octanol/water (Log Pow)	0.64	

## 12.4. Mobility in soil

ethanediol, ethylene glycol (107-21-1)	
Mobility in soil	0.2 Source: HSDB

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 01



#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

#### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

DOT

No data available

**IMDG** 

No data available

IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 01



## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

# ethanediol, ethylene glycol (107-21-1)

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 5000 lb

### propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Subject to reporting requirements of United States SARA Section 313

### ammonia, anhydrous (7664-41-7)

Not subject to reporting requirements of the United States SARA Section 313 Subject to reporting requirements of United States SARA Section 313

### 15.2. International regulations

### 77266 (1333-86-4)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations



This product can expose you to 77266, which is known to the State of California to cause cancer, and ethanediol, ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ethanediol, ethylene glycol(107-21-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
propan-2-ol, isopropyl alcohol, isopropanol(67-63-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
ammonia, anhydrous(7664-41-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
77266(1333-86-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

 ${\tt Custom\_SDS\_USA\_VECTOR}$ 

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.