according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 02



## **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

: ImmPACT® AMEC Red Substrate, Peroxidase (HRP) Product name

Product code : SK-4285

Kit component : ImmPACT AMEC Red Diluent

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

### 1.3. Supplier

### Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

## 1.4. Emergency telephone number

**Emergency number** : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

## **GHS US classification**

Flammable liquids Category 3

Serious eye damage/eye irritation Category 2

Flammable liquid and vapor Causes serious eye irritation

### 2.2. GHS Label elements, including precautionary statements

## **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) Warning

Hazard statements (GHS US) Flammable liquid and vapor Causes serious eye irritation

Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment. Use explosion-proof electrical equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Wash hands, forearms and face thoroughly after handling.

Wear eye protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder, foam

to extinguish.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 02



Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Trade secret component*	CAS-No.: Trade	10 - 15
	Secret	

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and

eves

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal

protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

oroduct.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

ImmPACT® AEC Substrate, Peroxidase (HRP)	
No additional information available	
Trade secret component	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



Trade secret component		
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	70 mg/m³	
OSHA PEL TWA [2]	40 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):







## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless Odor : No data available Odor threshold : No data available No data available рΗ Melting point Not applicable Freezing point No data available Boiling point No data available Flash point ≈ 24 °C

: No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available No data available Auto-ignition temperature Decomposition temperature No data available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 02



Viscosity, kinematic : No data available Viscosity, dynamic No data available **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation)

Trade secret component	
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Skin corrosion/irritation : Not classified

Serious eye damage/irritation Causes serious eye irritation.

: Not classified Respiratory or skin sensitization Germ cell mutagenicity : Not classified Carcinogenicity Not classified Reproductive toxicity Not classified : Not classified STOT-single exposure STOT-repeated exposure : Not classified

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



Trade secret component

NOAEC (inhalation,rat,gas,90 days)

400 ppm Animal: rat, Guideline: other:

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after eye contact : Eye irritation.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Trade secret component	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	> 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d'

## 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Trade secret component	
Partition coefficient n-octanol/water (Log Pow)	-0.3 Source: ICSC

## 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

### 14.1. UN number

DOT NA No : UN1993 UN-No. (IMDG) : 1993 UN-No. (IATA) : 1993

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.
Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



Proper Shipping Name (IATA) : Flammable liquid, n.o.s.

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3 Hazard labels (DOT) : 3



**IMDG** 

Transport hazard class(es) (IMDG) : 3
Hazard labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



14.4. Packing group

Packing group (DOT) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1993

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



DOT Special Provisions (49 CFR 172.102)

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A

: 220 L

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

**IMDG** 

Special provision (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS EmS-No. (Spillage) : S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L : 355 PCA packing instructions (IATA) PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) 220L Special provision (IATA) : A3 ERG code (IATA) 31

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Trade secret component	
Subject to reporting requirements of United States SA Listed on EPA Hazardous Air Pollutant (HAPS)	RA Section 313
CERCLA RQ 5000 lb	

## 15.2. International regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Trade secret component()	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : ImmPACT® AMEC Red Substrate, Peroxidase (HRP)

Product code : SK-4285

Kit component : ImmPACT AMEC Red Reagent 1

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

### 1.3. Supplier

#### Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560

U.S.A

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

### 1.4. Emergency telephone number

Emergency number : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Flammable liquids Category 3

Acute toxicity (inhalation:dust,mist) Category 4 Serious eye damage/eye irritation Category 2

Carcinogenicity Category 1B

Flammable liquid and vapor

Harmful if inhaled

Causes serious eye irritation

May cause cancer

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable liquid and vapor

Causes serious eye irritation

Harmful if inhaled May cause cancer

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Call a poison center or doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Dimethylformamide	CAS-No.: 68-12-2	< 100
Trade secret compound*	CAS-No.: Trade Secret	< 1

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable

protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned

regularly. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ImmPACT® AMEC Red Substrate, Pe	eroxidase (HRP)	
No additional information available		
Dimethylformamide (68-12-2)		
USA - ACGIH - Occupational Exposure Li	mits	
Local name	Dimethylformamide	
ACGIH OEL TWA [ppm]	5 ppm	
Remark (ACGIH)	TLV® Basis: Liver dam; eye & URT irr. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI	
Regulatory reference	ACGIH 2022	
USA - ACGIH - Biological Exposure Indices		
Local name	N,N-DIMETHYLFORMAMIDE (DMF)	
BEI	30 mg/l Parameter: Total N-Methylformamide - Medium: urine - Sampling time: End of shift 30 mg/l Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine - Medium: urine - Sampling time: End of shift at end of workweek	
Remark	Total N-Methylformamide represents the sum of N-Methylformamide and N-(Hydroxymethyl)-N-Methylformamide	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Lir	nits	
Local name	Dimethylformamide	
OSHA PEL TWA [1]	30 mg/m³	
OSHA PEL TWA [2]	10 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Trade secret compound		
No additional information available		

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear respiratory protection.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



### Personal protective equipment symbol(s):







## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless

Odor : No data available
Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available

Boiling point :  $\approx 153$  °C Flash point :  $\approx 57$  °C :  $\approx 57$  °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : ≈ 445 °C

Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

Acute toxicity (innalation)	: Harmiui ii innaled.
ImmPACT® AMEC Red Substrate, Po	eroxidase (HRP)
ATE US (dust, mist)	1.5 mg/l/4h
Dimethylformamide (68-12-2)	
LD50 oral rat	3010 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2480 - 3650
LD50 dermal rat	> 3160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 5.85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE US (oral)	3010 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Trade secret compound	<u>.</u>
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Not classified</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>May cause cancer.</li> </ul>
Dimethylformamide (68-12-2)	-
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity STOT-single exposure STOT-repeated exposure	: Not classified : Not classified : Not classified
Dimethylformamide (68-12-2)	
LOAEL (oral,rat,90 days)	475 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (oral,rat,90 days)	238 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: not determinable due to absence of adverse toxic effects
Aspiration hazard Viscosity, kinematic	: Not classified : No data available

Symptoms/effects after eye contact

: Eye irritation.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



## **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Dimethylformamide (68-12-2)	
LC50 - Fish [1]	7100 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	3000 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1500 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d'

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Dimethylformamide (68-12-2)	
Partition coefficient n-octanol/water (Log Pow)	-0.87 Source: ICSC

### 12.4. Mobility in soil

Dimethylformamide (68-12-2)	
Mobility in soil	2.4 Source: ECHA

## 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

### SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

### 14.1. UN number

DOT NA No : UN2265 UN-No. (IMDG) : 2265 UN-No. (IATA) : 2265

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : N,N-Dimethylformamide
Proper Shipping Name (IMDG) : N,N-DIMETHYLFORMAMIDE
Proper Shipping Name (IATA) : n,n-Dimethylformamide

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3 Hazard labels (DOT) : 3

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 02





### **IMDG**

Transport hazard class(es) (IMDG) : 3 : 3 Hazard labels (IMDG)



### IATA

Transport hazard class(es) (IATA) Hazard labels (IATA) 3



### 14.4. Packing group

Packing group (DOT) : 111 : 111 Packing group (IMDG) : III Packing group (IATA)

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

### DOT

UN-No.(DOT) : UN2265

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L

CFR 173.27)

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

: 220 L

**IMDG** 

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : A Flash point (IMDG) :  $58^{\circ}\text{C c.c.}$ 

Properties and observations (IMDG) : Colourless liquid. Flashpoint: 58°C c.c. Explosive limits: 2.2% to 16% Miscible with water.May

react violently with oxidizing materials.

IATA

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) 220L ERG code (IATA) 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Trade secret compound CAS-No. <1%

### Dimethylformamide (68-12-2)

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

### 15.2. International regulations

### Dimethylformamide (68-12-2)

Listed on IARC (International Agency for Research on Cancer)

# 15.3. US State regulations

WARNING:

This product can expose you to Dimethylformamide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



Component	State or local regulations
Dimethylformamide(68-12-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



## **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name ImmPACT® AMEC Red Substrate, Peroxidase (HRP)

Product code SK-4285

Kit component : ImmPACT AMEC Red Reagent 2

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

### 1.3. Supplier

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 U.S.A

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

### 1.4. Emergency telephone number

**Emergency number** : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

# SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Causes skin irritation Causes serious eye irritation

## 2.2. GHS Label elements, including precautionary statements

## **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) Warning

Hazard statements (GHS US) Causes skin irritation Causes serious eye irritation

Precautionary statements (GHS US) : Wash hands, forearms and face thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
hydrogen peroxide solution %	CAS-No.: 7722-84-1	< 3

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

No additional information available

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

No additional information available

### 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

No additional information available

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

No additional information available

## 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

## 6.3. Methods and material for containment and cleaning up

No additional information available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



### 6.4. Reference to other sections

No additional information available

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ImmPACT® AMEC Red Substrate, Peroxidase (HRP)		
No additional information available		
hydrogen peroxide solution % (7722-84-1)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
ACGIH OEL TWA [ppm]	1 ppm	
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
OSHA PEL TWA [1]	1.4 mg/m³	
OSHA PEL TWA [2]	1 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

# 8.2. Appropriate engineering controls

No additional information available

## 8.3. Individual protection measures/Personal protective equipment

No additional information available

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless Odor No data available Odor threshold No data available No data available Melting point No data available Freezing point No data available Boiling point : No data available Flash point : No data available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version: 02



Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20 °C : No data available Relative density : No data available : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

No additional information available

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation) : Not classified

hydrogen peroxide solution % (7722-84-1)	
LD50 oral rat	693.7 mg/kg Source: ECHA
LD50 dermal rabbit	3000 mg/kg Source: ChemIDPlus
LC50 Inhalation - Rat	2000 mg/m³ Source: ChemIDPlus
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



hydrogen peroxide solution ... % (7722-84-1) 1.5 mg/l/4h ATE US (dust, mist) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified hydrogen peroxide solution ... % (7722-84-1) IARC group 3 - Not classifiable

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

hydrogen peroxide solution % (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l Source: ECHA

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

hydrogen peroxide solution % (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.36 Source: IPCS

## 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

No additional information available

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

### 14.1. UN number

Not regulated for transport

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02

**Vector**LABORATORIES

### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

DOT

No data available

**IMDG** 

No data available

IATA

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

hydrogen peroxide solution % (7722-84-1)	
Not subject to reporting requirements of the United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

## 15.2. International regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version: 02



Component	State or local regulations
hydrogen peroxide solution %(7722-84-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.