




SAMBUCUS NIGRA LECTIN (SNA, EBL), CY5

SKU: CL-1305-1



DESCRIPTION

Sambucus nigra lectin, isolated from elderberry bark, binds preferentially to sialic acid attached to terminal galactose in α -2,6 and to a lesser degree, α -2,3 linkage. Binding is also inhibited to some extent by lactose or galactose. This lectin appears to bind sialic acid linked to *N*-acetylgalactosamine or galactose. SNA has been reported to inhibit cell-free protein synthesis.

Cy5 labeled *Sambucus nigra* lectin has an appropriate number of fluorochromes bound to provide the optimum staining characteristics for this lectin. This conjugate is supplied essentially free of unconjugated fluorochromes.

- Excitation: 650 nm
- Emission: 670 nm
- Color: Far Red

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.



SPECIFICATIONS

Molecular Weight	140
Color of Fluorescence	Far Red
Extinction Coefficient	1.5
Formulation	10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide, 0.1 mM CaCl ₂ , and a proprietary stabilizer
Inhibiting or Eluting Sugar	Lactose or Neuraminidase treatment
Maximum Emission	670 nm
Maximum Excitation	650 nm
Unit Size	1 mg
Storage Instructions	2-8 °C
Sugar Specificity	α 2,6-sialylated LacNAc and α 2,6-sialylated LacdiNAc
Usage Summary	The recommended concentration range for use is 5-20 μ g/ml.
Applications	Immunofluorescence, Glycobiology
Concentration	1 mg active conjugate/ml
Conjugate	Cy5

TECHNICAL INFORMATION

Accompanying each fluorescent lectin is an analysis data sheet summarizing the results of our quality control tests and providing pertinent information on the product. All of these reagents are supplied as solutions preserved with sodium azide.

Elution: 500 mM lactose in buffered saline followed by 500 mM lactose in acetic acid






DOCUMENTS

- [Safety Data Sheet](#)
- [Lectins in Histochemistry, ELISA, and Western Blot Applications](#)
- [Download CoA](#)
- [Datasheet](#)

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.



GALLERY IMAGES



For research use only. Not intended for therapeutic or diagnostic use in animals or humans.