



SUCCINYLATED WHEAT GERM AGGLUTININ (WGA), FLUORESCIN

SKU: FL-1021S-5



DESCRIPTION

This derivative has been reported to have properties distinct from the native lectin. Evidence suggests that Succinylated Wheat Germ agglutinin does not bind to sialic acid residues, unlike the native form, but retains its specificity toward *N*-acetylglucosamine.

Fluorescein labeled, succinylated WGA has an appropriate number of fluorochromes bound to provide the optimum staining characteristics for this lectin. This conjugate is supplied essentially free of unconjugated fluorochromes. The excitation maximum is at 495 nm and the emission maximum is at 515 nm.

SPECIFICATIONS

Molecular Weight	36
-------------------------	----

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.



Color of Fluorescence	Green
Extinction Coefficient	1.46
Formulation	10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide, 0.1 mM CaCl ₂
Inhibiting or Eluting Sugar	Chitin Hydrolysate
Maximum Emission	514-521 nm
Maximum Excitation	495-500 nm
Unit Size	5 mg
Storage Instructions	2-8 °C; Store frozen for long term storage
Sugar Specificity	Terminal N-acetyl-containing glycans
Usage Summary	The recommended concentration range for use is 5-20 µg/ml.
Applications	Immunofluorescence, Glycobiology
Concentration	5 mg active conjugate/ml
Conjugate	Fluorescein

TECHNICAL INFORMATION

Using conjugates of the native lectin and the succinylated form can provide a system to distinguish between sialylated glycoconjugates and those containing only *N*-acetylglucosamine structures.

Accompanying each fluorescent lectin is an analysis data sheet summarizing the results of our quality control tests and providing pertinent information on the product. All of these reagents are supplied as solutions preserved with sodium azide.

Inhibiting/Eluting Sugar: Chitin Hydrolysate or 500 mM *N*-acetylglucosamine with salt and/or acid elution generally required

CITATIONS



Powered by Bioz © 2023 See more details on Bioz

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.



DOCUMENTS

- [Lectins in Histochemistry, ELISA, and Western Blot Applications](#)
- [Safety Data Sheet](#)
- [Download CoA](#)
- [Datasheet](#)

GALLERY IMAGES



For research use only. Not intended for therapeutic or diagnostic use in animals or humans.