www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

PISUM SATIVUM AGGLUTININ (PSA), UNCONJUGATED

SKU: L-1050-10



DESCRIPTION

Pisum sativum agglutinin is nearly identical in structure and carbohydrate specificity to *Lens culinaris* agglutinin. The lectin has specificity toward α-linked mannose-containing oligosaccharides, with an *N*-acetylchitobiose-linked α-fucose residue included in the receptor sequence. Calcium and manganese ions are required for activity.

SPECIFICATIONS

Molecular Weight	53
Extinction Coefficient	1.2
Inhibiting or Eluting Sugar	Mixture of a-methyl-mannoside & a-methyl-glucoside
Unit Size	10 mg
Storage Instructions	2-8 °C

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.

Sugar Specificity	α1,6-linked fucose
Usage Summary	Although many buffers can be employed for reconstituting and diluting this lectin, 10 mM HEPES buffered saline, pH 8.5, 0.1 mM CaCl2is recommended. For preserving solutions stored at 4 ºC, 0.08% sodium azide can be used.
Applications	Immunohistochemistry / Immunocytochemistry, Immunofluorescence, Blotting Applications, Glycobiology, Mitogenic Stimulation
Conjugate	Unconjugated

TECHNICAL INFORMATION

PSA has been used to fractionate cells, to isolate glycoproteins and glycopeptides, to distinguish between normal and virally transformed cells, as a T-cell mitogen, and as an inhibitor of allograft rejection.

Inhibiting/Eluting Sugar: mixture of 200 mM α-methylmannoside/200 mM α-methylglucoside

CITATIONS

Powered by Bioz © 2023 See more details on Bioz

DOCUMENTS

- Lectins in Histochemistry, ELISA, and Western Blot Applications
- Safety Data Sheet
- Download CoA
- Datasheet

GALLERY IMAGES

For research use only. Not intended for therapeutic or diagnostic use in animals or humans.

www.vectorlabs.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600



For research use only. Not intended for therapeutic or diagnostic use in animals or humans.